

Notice of Allowability	Application No.	Applicant(s)	
	10/813,340	DERSON ET AL.	
	Examiner Michael D. Masinick	Art Unit 2125	

-- **The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to 9/5/2006.
2. The allowed claim(s) is/are 1,4-16, 18, 19 and 29-43.
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All b) Some* c) None of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application (PTO-152)
6. Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

DETAILED ACTION

Claims 1, 4-16, 18, 19, 29-43 are pending in this application after amendment entered with RCE filed 9/5/2006. Applicant is thanked for clarifying the claims over the prior art of record.

The newly added term “moving” to the term “assembly line” was looked at for the issue of new matter and it was determined that, while this term is not found in the specification as originally filed, it is clearly the intent of the original specification as evidenced by the drawings 1a and 1b as well as original claim 23 which states “wherein the assembly line is operable to travel along a flow path a predetermined direction”. It is determined by the examiner that this travel along a flow path was intended to indicate a moving assembly line. The use of a conveyor is found in the specification in original claim 18.

Allowable Subject Matter

1. Claims 1, 4-16, 18, 19, 29-43 are allowed.
2. The following is an examiner’s statement of reasons for allowance:
3. While U.S. Patent No. 5,088,045 to Shimanaka et al in view of Japanese Patent D02030446A to Tsuru et al shows an assembly line with upstream and downstream stations and the ability to communicate the completion of a step at a downstream station to an upstream station as necessary, neither of these references taken alone or in combination with the prior art of record disclose wherein in a moving assembly line, if a first monitoring period is exceeded,

physically extending the first processing station along the assembly line to give to operator more time to complete the necessary function. It is this physical extension upon non-completion after at least one monitoring period, in combination with the remaining elements and features of the invention, that the applicant's invention defines over the prior art of record.

4. U.S. Patent No. 4,492,297 to Sticht shows an assembly line which varies the conveyor speed as necessary to complete a project.

5.

6. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance".

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael D. Masinick whose telephone number is (571) 272-3746. The examiner can normally be reached on Mon-Fri, 7:30-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Leo Picard can be reached on (571) 272-3749. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Michael D Masinick
Examiner
Art Unit 2125

MDM, September 15, 2006